

EB-725W



Drive agile team collaboration with an affordable, large screen display solution that will enhance productivity and connectivity

Whatever the size of workspace, unrestricted and immersive presentations are now possible with this compact, affordable display solution. Due to a large display size, and flexible formats, content can be viewed from every angle, and participants can share directly from their own devices, for the perfect collaborative experience.

With the EB-725W, users are no longer restricted to a single display size, with bright, large scalable options up to 120". Unlike flat-panel equivalents, there are no shadows, glare or blind spots, and the 4,000lm high-brightness laser light source can work when ambient lighting is also high. Multi-screen capability makes collaboration easy and intuitive, while a split-screen feature can show up to four inputs in one large display, preventing the need for additional displays.

The viewing experience is more immersive, with multiple connectivity options enhancing exceptional image and sound quality. For the ultimate in engagement, wireless connectivity, including Screen Mirroring via Miracast, allows everyone to share content from their tablets, mobiles or laptops. By connecting an optional Epson document camera you can also easily display images of 3D objects with incredible detail for the whole room to see.

Unlike flat panel displays, the EB-725W provides multiple display sizes and formats for one fixed cost. It also offers flexible mounting options to deploy a more comfortable view for delegates. When used with antibacterial whiteboards it provides a more hygienic workspace and is free from finger marks.

Sustainability is another strength, based on sustainable manufacturing, product usage and lifecycle.

DATASHEET / BROCHURE



KEY FEATURES

- **Any room, any size**
Bright, large-format display options up to 120"
- **Every-angle viewing**
No restricted angles, shadows, glare or blind spots
- **Multiple collaboration options**
Expand connectivity through BYOD devices, VC cameras and more
- **Document camera compatibility**
Create a totally immersive experience with sound and visuals
- **Exceptional reliability**
Maintenance-free laser technology for fit-and-forget peace of mind



EPSON
WORLD LEADER
IN PROJECTORS

Source: Futuresource Consulting Ltd.

EPSON[®]
EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System	3LCD Technology, RGB liquid crystal shutter
LCD Panel	0,59 inch with C2 Fine

IMAGE

Color Light Output	4.000 Lumen- 2.800 Lumen (economy) In accordance with IDMS15.4
White Light Output	4.000 Lumen - 2.800 Lumen (economy) In accordance with ISO 21118:2012
Resolution	WXGA, 1280 x 800, 16:10
High Definition	HD ready
Aspect Ratio	16:10
Contrast Ratio	2.500.000 : 1
Light source	Laser
Laser Light source	20.000 hours Durability High, 30.000 hours Durability Eco
Keystone Correction	Manual vertical: $\pm 3^\circ$, Manual horizontal $\pm 3^\circ$
Colour Video Processing	10 Bits
2D Vertical Refresh Rate	100 Hz - 120 Hz
Colour Reproduction	Upto 1.07 billion colours

OPTICAL

Throw Ratio	0,28 - 0,37:1
Zoom	Digital, Factor: 1 - 1,35
Lens	Optical
Screen Size	65 inches - 120 inches
Projection Lens F Number	1,6
Projection Lens Focal Length	3,7 mm
Projection Lens Focus	Manual
Offset	6 : 1

CONNECTIVITY

Interfaces	USB 2.0 Type A (2x), USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), Miracast, Stereo mini jack audio out, Stereo mini jack audio in (3x), Microphone input
Epson iProjection App	Ad-Hoc / Infrastructure
Network Protocol	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink

ADVANCED FEATURES

Security	Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard
Other features	A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Easy OSD pre-setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Image Shift, Instant on/off, Mail notification function, Microphone input, Network administration, Network projection, OSD copy function, Quick Corner, Schedule Function, Split-Screen-Function, Super resolution, Web Control, Web Remote, Wireless LAN capable
Interactivity	No
Video Color Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB
Projector control	via: AMX, Crestron, Extron, Crestron (RS-232c only), Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol

EB-725W

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Removable battery x2
- Quick Start Guide



EPSON
WORLD LEADER
IN PROJECTORS

Source: Futuresource Consulting Ltd.

EPSON[®]
EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

GENERAL

Power consumption	255 Watt, 197 Watt (economy), 0,5 Watt (standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	356 x 395 x 133 mm (Width x Depth x Height)
Product weight	5,7 kg
Noise Level	Normal: 36 dB (A) - Economy: 26 dB (A)
Supported Temperature	Storage -10° C - 60° C
Included Software	iProjection, Epson Projector Management
Options	Connection and control box, Document camera, External Speaker, Wall mount, Wireless LAN unit
Loudspeaker	16 Watt
Room Type / Application	Boardroom, Meeting room / Classroom
Positioning	Ceiling Mounted, Table Mounted, Wall Mounted
Colour	White
TCO Certified	For further information relating to TCO Certified please visit https://tcocertified.com/files/certification/Information-document-for-end-users.pdf

OTHER

Warranty	60 months Carry in or 12.000 h
----------	--------------------------------

EB-725W

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Removable battery x2
- Quick Start Guide

OPTIONAL ACCESSORIES

EB-725W

- Air Filter - ELPAF60 - EB-7XX / EB-L2xx Series
V13H134A60
- Ceiling Mount (White) - ELPMB23
V12H003B23
- Ceiling Pipe (450mm) - ELPFP13
V12H003P13
- Ceiling Pipe (700mm) - ELPFP14
V12H003P14
- Control and Connection Box - ELPCB03
V12H927040
- Adapter - ELPAP11 Wireless LAN (5GHz)
V12H005A01
- Active Speakers (2 x 15W) - ELPSP02
V12H467040
- Wall Mount - ELPMB62 - EB-7xx / EB-8xx
V12HA06A06
- Safety Wire - ELPWR01
V12H003W01

LOGISTICS INFORMATION

SKU	V11H999040
EAN code	8715946681856
Country of Origin	China



EPSON®